



Amitrakshar International Journal

of Interdisciplinary and Transdisciplinary Research (AIJITR)

(A Social Science, Science and Indian Knowledge Systems Perspective)

Open-Access, Peer-Reviewed, Refereed, Bi-Monthly, International E-Journal

DEEP LEARNING IN COMPUTER VISION: FROM OBJECT DETECTION TO AUTOMOBILE VEHICLES

Awinash Singh¹, Dr Manoj Kumar²

Abstract –

Deep learning has significantly advanced the field of computer vision, transforming how machines interpret visual data and enabling new applications such as autonomous vehicles. This article reviews the development of deep learning technologies, from early pattern recognition to sophisticated Convolutional Neural Networks (CNNs). It examines the role of deep learning in improving object detection accuracy and real-time performance, which is crucial for the safe operation of autonomous vehicles. The discussion addresses technical challenges including data scarcity, high computational costs, and the need for large-scale datasets. Ethical concerns such as privacy issues and potential bias in AI models are also explored. The article concludes by considering future directions, including advancements in deep learning models and their integration with other AI technologies. It highlights the potential for deep learning to revolutionize transportation and underscores the importance of collaboration between tech companies, automakers, and regulators to address the challenges and ensure the responsible deployment of autonomous vehicles.

keywords: Deep Learning, Computer Vision, Object detection, Autonomous Vehicles



AIJITR - Volume - 3, Issue - II, Mar-Apr 2026



Copyright © 2026 by author (s) and (AIJITR). This is an Open Access article distributed under the terms of the Creative Commons Attribution License (CC BY 4.0) (<https://creativecommons.org/licenses/by/4.0>)

1. INTRODUCTION

Computer vision is a rapidly growing field within artificial intelligence (AI) that enables machines to interpret and understand the visual world. By processing and analyzing digital images or videos, computer vision systems can extract meaningful information, identify patterns, and make decisions based on visual input. The significance of computer vision extends across various applications, including facial recognition, medical imaging, autonomous vehicles, and industrial automation. For instance, in the healthcare sector, computer vision aids in diagnosing diseases through image analysis, while in retail, it enhances customer experience by enabling automated checkout systems [1]. Computer vision has evolved significantly since its inception in the 1960s when simple pattern recognition based on statistical methods was the norm [2]. The 1980s and 1990s saw the introduction of basic neural networks, but it wasn't until the advent of deep learning technologies in the 2000s that dramatic improvements were realized. The development of Convolutional Neural Networks (CNNs) by Yann LeCun et al. in 1998 was a pivotal moment, laying the groundwork for modern computer vision applications [3]. Since then, the capabilities of deep learning in processing and interpreting visual data have grown exponentially, fueled by advances in computational power and the availability of large datasets. The advent of deep learning has marked a significant turning point in the development of computer vision. Traditional computer vision techniques relied heavily on manual feature extraction and rule-based algorithms, which were often limited in accuracy and scalability. Deep learning, particularly through the use of CNNs, has revolutionized the field by automating feature extraction and enabling machines to learn complex patterns from large datasets. This shift has dramatically

1 Research Scholar, Department of Computer Science, Chaudhary Charan Singh University, Meerut, U.P.

2 Assistant Professor, Department of Computer Science, Chaudhary Charan Singh University, Meerut, U.P.

DOI Link (Crossref) Prefix: <https://doi.org/10.63431/AIJTR/3.II.2026.100-109>

AIJITR, Volume 3, Issue –II, March - April, 2026, PP.100-109

Received on 30th March, 2026 & Accepted on 15th April, 2026, Published: 30th April, 2026



Amitrakshar International Journal of Interdisciplinary and Transdisciplinary Research (AIJITR)

(A Social Science, Science and Indian Knowledge Systems Perspective)

Open-Access, Peer-Reviewed, Refereed, Bi-Monthly, International E-Journal

improved the accuracy of tasks like object detection, image classification, and segmentation [4]. For example, models like AlexNet, VGGNet, and ResNet have set new benchmarks in object detection, enabling real-time processing and the ability to detect multiple objects in complex environments [5]. Deep learning has become a cornerstone of modern computer vision, particularly in the realms of object detection and autonomous vehicles. Its ability to learn hierarchical representations and improve traditional algorithms has made it indispensable for these applications. Deep learning techniques have significantly enhanced the accuracy and speed of object detection systems, which are crucial for the real-time processing needed in autonomous driving [6]. Integrating deep learning into these systems has improved performance and enabled new functionalities that were previously challenging or impossible to achieve [7]. The main focus of this paper is to explore the journey of deep learning in computer vision, specifically from basic object detection techniques to their application in autonomous vehicles. We aim to provide a comprehensive review of the technological advancements brought about by deep learning, discuss the integration of these technologies into autonomous vehicle systems, and examine the challenges and prospects of these applications. By examining key milestones, case studies, and prospects, this research will highlight the transformative effects of deep learning on both the technology behind object detection and the broader implications for autonomous vehicle development [8].

2. LITERATURE REVIEW

2.1 Evolution of Deep Learning in Computer Vision

The evolution of deep learning in computer vision marks a significant shift from traditional methods that were primarily dependent on manual feature extraction and classical machine learning algorithms. Early computer vision techniques relied heavily on edge detection, template matching, and histogram-based methods, which were limited in their ability to handle complex patterns and variability in real-world data [9]. The introduction of neural networks, particularly Convolutional Neural Networks (CNNs), brought about a paradigm shift, enabling automated feature extraction and hierarchical learning directly from raw pixel data [10]. LeCun et al.'s development of CNNs in 1998 laid the foundation for modern computer vision applications [11]. CNNs became the cornerstone of deep learning in vision tasks due to their ability to capture spatial hierarchies in images through convolutional layers. This was a significant advancement over traditional techniques, as it allowed for the processing of large-scale images with high accuracy [12]. The breakthrough of AlexNet in the 2012 ImageNet competition further showcased the potential of deep learning, achieving a top-5 error rate significantly lower than previous methods [13]. This success sparked widespread interest and adoption of deep learning techniques in computer vision.




Fig -2.1: Evolution of Computer Vision

2.2 Object Detection: From Basic Techniques to Deep Learning

Object detection, a critical task in computer vision, has evolved substantially with the advent of deep learning. Traditional object detection methods, such as the Viola-Jones algorithm and Histogram of Oriented Gradients (HOG) with Support Vector Machines (SVM), were among the first to achieve real-time detection, but they struggled with accuracy and scalability in complex environments [14]. These methods relied on handcrafted features and were limited by their inability to generalize across different object classes and variations.



Amitrakshar International Journal

of Interdisciplinary and Transdisciplinary Research (AIJITR)

(A Social Science, Science and Indian Knowledge Systems Perspective)

Open-Access, Peer-Reviewed, Refereed, Bi-Monthly, International E-Journal




Fig -2.2: Diagram of method 1 based on HOG

Deep learning-based object detection frameworks, such as Region-Based CNN (R-CNN), Fast R-CNN, and Faster R-CNN, revolutionized the field by introducing end-to-end learning pipelines that combined feature extraction, classification, and localization into a single model [15]. The development of YOLO (You Only Look Once) and SSD (Single Shot Multibox Detector) further pushed the boundaries by enabling real-time object detection with high accuracy, making these techniques ideal for applications requiring quick decision-making, such as autonomous vehicles [16].

2.3 Autonomous Vehicles: The Intersection of Computer Vision and Robotics

The integration of deep learning into autonomous vehicles represents one of the most transformative applications of computer vision. Autonomous vehicles rely heavily on computer vision for tasks such as lane detection, traffic sign recognition, pedestrian detection, and obstacle avoidance [17]. Deep learning models have played a crucial role in improving the robustness and reliability of these systems by enabling real-time perception and decision-making. One of the key challenges in autonomous driving is the need for accurate object detection and scene understanding in diverse and dynamic environments. Deep learning models, particularly those based on CNNs, have been instrumental in addressing these challenges. For instance, models like ResNet and YOLO have been applied to detect multiple objects simultaneously in complex traffic scenarios, improving both safety and efficiency [18]. Moreover, the integration of deep reinforcement learning has further enhanced the ability of autonomous systems to adapt to new situations by learning optimal driving strategies through continuous interaction with the environment [19].




Fig -2.3: Diagram of method 1 based on HOG



Amitrakshar International Journal

of Interdisciplinary and Transdisciplinary Research (AIJITR)

(A Social Science, Science and Indian Knowledge Systems Perspective)

Open-Access, Peer-Reviewed, Refereed, Bi-Monthly, International E-Journal

2.4 Deep Learning in 3D Object Detection and Semantic Segmentation

As autonomous vehicles require a comprehensive understanding of their surroundings, the development of 3D object detection and semantic segmentation techniques has become increasingly important. Traditional 2D detection methods, while effective, are limited in their ability to capture depth and spatial relationships between objects. To address this, deep learning models have been extended to work with 3D data, utilizing inputs from LiDAR, stereo cameras, and depth sensors [20]. PointNet and its variants, such as PointNet++ and Frustum PointNets, have been pivotal in advancing 3D object detection by directly processing point clouds and learning point-wise features [21]. These models have shown significant improvements in detecting objects in cluttered scenes and varying lighting conditions, which are common challenges in autonomous driving [22]. Additionally, semantic segmentation models like DeepLab and U-Net have been adapted for 3D data, allowing for pixel level understanding of the environment, which is crucial for tasks such as path planning and obstacle avoidance in autonomous vehicles [23].




Fig -2.4: Deep Learning based 3D object detection using semantic

2.5 Adversarial Attacks and Robustness in Autonomous Vehicles

Despite the advancements in deep learning for autonomous vehicles, the robustness of these systems remains a critical concern, particularly in the face of adversarial attacks. Adversarial examples, which are small perturbations in input data that cause deep learning models to make incorrect predictions, pose a significant threat to the safety and reliability of autonomous systems [24]. Research in this area has focused on developing methods to detect and mitigate the effects of adversarial attacks, with techniques such as adversarial training, defensive distillation, and input preprocessing showing promise in enhancing the robustness of deep learning models [25]. The importance of robustness in autonomous driving cannot be overstated, as even minor errors can lead to catastrophic outcomes. Therefore, ongoing research is dedicated to improving the resilience of deep learning models against both adversarial and natural perturbations, ensuring that autonomous vehicles can operate safely in all conditions [26].

2.6 Future Prospects and Challenges

The future of deep learning in computer vision, particularly in the context of autonomous vehicles, is filled with opportunities and challenges. While current models have achieved remarkable success, there is still room for improvement in areas such as interpretability, energy efficiency, and generalization across diverse environments [27]. The development of explainable AI techniques is particularly important for building trust in autonomous systems, as it allows users and regulators to understand the decision-making processes of deep learning models [28]. Additionally, the integration of neuromorphic computing and quantum computing holds the potential to further accelerate the capabilities of deep learning in computer vision by offering new paradigms for processing and learning from visual data [29]. These advancements could lead to more efficient and scalable models that can handle the ever-increasing demands of real-time perception in autonomous vehicles.

3. OVERVIEW OF AUTONOMOUS VEHICLES

Autonomous vehicles, often referred to as self-driving cars, represent a transformative innovation in the automotive industry, promising to revolutionize transportation by reducing human error, enhancing road safety, and improving traffic efficiency. These vehicles operate with minimal or no human intervention, relying on advanced technologies such as artificial intelligence (AI), machine learning, and computer vision to perceive their environment, make decisions, and



Amitrakshar International Journal of Interdisciplinary and Transdisciplinary Research (AIJITR)

(A Social Science, Science and Indian Knowledge Systems Perspective)


Open-Access, Peer-Reviewed, Refereed, Bi-Monthly, International E-Journal

navigate through various driving scenarios [30]. The development of autonomous vehicles is motivated by the potential to reduce traffic accidents, lower emissions, and provide mobility solutions for people who are unable to drive. The Society of Automotive Engineers (SAE) categorizes autonomous vehicles into six levels, ranging from Level 0 (no automation) to Level 5 (full automation) [31]. Levels 1 to 3 involve varying degrees of driver assistance, where the vehicle can control certain aspects of driving such as steering or acceleration, but the human driver must remain engaged and ready to take control at any moment. Level 4 vehicles can operate autonomously in specific conditions or environments, such as urban areas or highways, without human intervention. However, they still require human control in certain situations. Level 5 represents full automation, where the vehicle can handle all driving tasks in any environment without human input [32].

3.1 Role of Computer Vision in Autonomous Vehicles

Computer vision is a critical technology that enables autonomous vehicles to perceive and understand their surroundings. By processing visual data from cameras and other sensors, computer vision systems can detect, classify, and track objects such as vehicles, pedestrians, traffic signs, and road markings [33]. This visual perception is essential for making real-time decisions, such as adjusting speed, changing lanes, or stopping at traffic lights. One of the primary tasks of computer vision in autonomous vehicles is object detection, where deep learning models like Convolutional Neural Networks (CNNs) are employed to identify and locate objects within the vehicle's environment. Models such as YOLO (You Only Look Once) and Faster R-CNN have become the industry standard for real-time object detection due to their accuracy and speed [34]. These models are capable of detecting multiple objects simultaneously, even in complex and dynamic driving scenarios, which is crucial for the safe operation of autonomous vehicles.

Lane detection is another critical function of computer vision in autonomous vehicles. Accurate lane detection allows the vehicle to stay within its lane, execute safe lane changes, and navigate curves. Techniques such as the Hough Transform and deep learning-based approaches like SegNet are commonly used for lane detection [35]. These methods analyze the visual data captured by cameras to identify lane boundaries and generate a virtual path for the vehicle to follow.



Semantic segmentation is another key application of computer vision in autonomous vehicles, where every pixel in an image is classified into predefined categories such as road, sidewalk, vehicle, and pedestrian. This pixel-level understanding of the environment enables the vehicle to accurately interpret its surroundings and make informed decisions. Deep learning models like U-Net and DeepLab are widely used for semantic segmentation in autonomous driving systems [36].



Amitrakshar International Journal of Interdisciplinary and Transdisciplinary Research (AIJITR)

(A Social Science, Science and Indian Knowledge Systems Perspective)
Open-Access, Peer-Reviewed, Refereed, Bi-Monthly, International E-Journal



Fig 3.2: Semantic segmentation

Sensor fusion is another essential aspect of computer vision in autonomous vehicles, where data from various sensors such as cameras, LiDAR, radar, and ultrasonic sensors are combined to create a comprehensive understanding of the environment. This fusion of data enhances the reliability and accuracy of the vehicle's perception system, allowing it to operate safely in various weather and lighting conditions [37].




Fig 3.3: Sensor Fusion

4. CHALLENGES AND ETHICAL CONSIDERATIONS

Technical Challenges

One of the primary technical challenges in the development of autonomous vehicles is the need for large-scale, high-quality datasets. Deep learning models, particularly those used in computer vision for object detection and semantic segmentation, require vast amounts of labeled data to achieve high accuracy. However, acquiring and annotating such datasets is both time consuming and costly, especially when considering the need for diverse data covering various driving conditions, weather, and environments [38]. Moreover, data are scarce for rare events, such as accidents or unusual road conditions, which are critical for training models to handle edge cases. Another significant challenge is the computational cost associated with training and deploying deep learning models. Autonomous vehicles rely on real-



Amitrakshar International Journal

of Interdisciplinary and Transdisciplinary Research (AIJITR)

(A Social Science, Science and Indian Knowledge Systems Perspective)

Open-Access, Peer-Reviewed, Refereed, Bi-Monthly, International E-Journal

time processing of visual data, which requires substantial computational power. High-performance GPUs and specialized hardware like Tensor Processing Units (TPUs) are essential to meet these demands, but they come with increased energy consumption and higher costs [39]. Furthermore, the complexity of deep learning models can lead to longer training times and difficulties in achieving real-time inference, which is critical for the safe operation of autonomous vehicles.

Ethical Concerns

The widespread adoption of autonomous vehicles raises several ethical concerns, particularly regarding privacy and bias. Autonomous vehicles are equipped with numerous sensors and cameras that continuously collect data about their surroundings, including other vehicles and pedestrians. This constant data collection raises privacy issues, as individuals may be recorded without their consent, and the data could potentially be misused or accessed by unauthorized parties [40]. Additionally, the use of AI models in autonomous vehicles presents the risk of bias, as these models are trained on datasets that may not be fully representative of the diverse populations and environments in which the vehicles operate. This could lead to unfair or unsafe outcomes, particularly for marginalized communities or in underrepresented regions [41]. The societal impact of autonomous vehicles also presents ethical dilemmas. While the technology promises to improve road safety and reduce traffic fatalities, it may also lead to significant job displacement, particularly in industries like trucking and taxi services. The transition to autonomous vehicles could exacerbate economic inequalities if not managed carefully, and it raises questions about the ethical responsibility of companies and governments to support workers who are affected by these changes [42].

Safety and Reliability

Safety is a paramount concern in the deployment of autonomous vehicles, particularly given the reliance on deep learning for critical tasks like object detection and decision-making. Deep learning models are known to be vulnerable to adversarial attacks, where small, imperceptible changes to input data can cause the model to make incorrect predictions [43]. In the context of autonomous vehicles, such vulnerabilities could lead to catastrophic outcomes, such as failing to recognize a pedestrian or misinterpreting a traffic signal. Ensuring the reliability and robustness of these models is crucial for the safe deployment of autonomous vehicles. Moreover, the inherent complexity of deep learning models can make them difficult to interpret and understand, leading to challenges in diagnosing and correcting errors. This lack of transparency, often referred to as the "black box" problem, complicates efforts to ensure that autonomous vehicles behave safely in all situations, particularly in rare or unexpected scenarios [44]. As a result, there is ongoing research into explainable AI and methods for improving the interpretability of deep learning models used in autonomous driving.

5. Future Directions Advancements in Deep Learning The future of autonomous vehicles is closely tied to advancements in deep learning. As research in this field progresses, we can expect the development of more efficient models that require less computational power and can operate with smaller datasets. Techniques such as transfer learning, where models trained on one task are adapted for another, and unsupervised learning, which does not require labeled data, are likely to play a significant role in reducing the data and computational demands of deep learning [45]. Additionally, the integration of deep learning with other AI technologies, such as reinforcement learning and neuromorphic computing, could lead to more adaptive and resilient autonomous driving systems.

5. FUTURE DIRECTIONS

Advancements in Deep Learning

The future of autonomous vehicles is closely tied to advancements in deep learning. As research in this field progresses, we can expect the development of more efficient models that require less computational power and can operate with smaller datasets. Techniques such as transfer learning, where models trained on one task are adapted for another, and unsupervised learning, which does not require labeled data, are likely to play a significant role in reducing the data and computational demands of deep learning [45]. Additionally, the integration of deep learning with other AI technologies, such as reinforcement learning and neuromorphic computing, could lead to more adaptive and resilient autonomous driving systems.

Impact on Transportation

The potential impact of deep learning on the transportation industry is profound. As autonomous vehicles become more capable and widespread, they could lead to significant changes in how we think about transportation. For example, the adoption of autonomous vehicles could reduce the need for personal car ownership, leading to a rise in shared mobility services and a shift towards more sustainable urban transportation systems [46]. Moreover, the integration of deep learning into logistics and supply chain management could optimize delivery routes, reduce fuel consumption, and improve the efficiency of goods transportation, further revolutionizing the industry.



Amitrakshar International Journal

of Interdisciplinary and Transdisciplinary Research (AIJITR)

(A Social Science, Science and Indian Knowledge Systems Perspective)

Open-Access, Peer-Reviewed, Refereed, Bi-Monthly, International E-Journal

Regulatory and Industry Collaboration

The successful deployment of autonomous vehicles will require close collaboration between technology companies, automakers, and regulators. As deep learning continues to advance, regulatory frameworks must keep pace with the technology to ensure the safety and reliability of autonomous vehicles on public roads. This includes the development of standards for data privacy, cybersecurity, and the ethical use of AI in transportation [47]. Additionally, collaboration between industry stakeholders will be crucial in addressing the challenges of data sharing, interoperability, and the integration of autonomous vehicles into existing transportation infrastructure.

6. CONCLUSIONS

The evolution of deep learning has dramatically transformed the field of computer vision, driving advancements in object detection and enabling the development of autonomous vehicles. As this technology continues to evolve, its impact on the transportation industry and society at large cannot be understated. Autonomous vehicles, once a futuristic concept, are rapidly becoming a reality, thanks to the integration of deep learning algorithms capable of processing and interpreting vast amounts of visual data in real-time. However, the journey toward fully autonomous vehicles is fraught with challenges. Technical hurdles, such as data scarcity and the high computational costs associated with deep learning, must be overcome to ensure these systems' reliability and safety. Moreover, ethical considerations, including privacy concerns and the potential for bias in AI models, must be addressed to build public trust and ensure the equitable deployment of autonomous technologies. Finally, the continued advancements in deep learning hold great promise for further revolutionizing transportation. More efficient models, better integration with other AI technologies, and collaborative efforts between industry stakeholders and regulators will be essential in navigating the complex landscape of autonomous vehicle development. As these technologies mature, they have the potential to reshape how we approach mobility, leading to safer roads, more efficient transportation systems, and a profound societal shift towards automated driving. As research and development continue to push the boundaries of what is possible, we stand on the cusp of a new era in transportation, where the capabilities of deep learning will redefine how we move through the world.

References

- [1] Szeliski, R. (2010). *Computer Vision: Algorithms and Applications*. Springer.
- [2] Ballard, D. H., & Brown, C. M. (1982). *Computer Vision*. Prentice Hall.
- [3] LeCun, Y., Bottou, L., Bengio, Y., & Haffner, P. (1998). Gradient-based learning applied to document recognition. *Proceedings of the IEEE*, 86(11), 2278-2324.
- [4] Krizhevsky, A., Sutskever, I., & Hinton, G. E. (2012). Imagenet classification with deep convolutional neural networks. *Advances in neural information processing systems*, 25.
- [5] Simonyan, K., & Zisserman, A. (2014). Very deep convolutional networks for large-scale image recognition. *arXiv preprint arXiv:1409.1556*.
- [6] He, K., Zhang, X., Ren, S., & Sun, J. (2016). Deep residual learning for image recognition. In *Proceedings of the IEEE conference on computer vision and pattern recognition* (pp. 770-778).
- [7] Redmon, J., & Farhadi, A. (2018). Yolov3: An incremental improvement. *arXiv preprint arXiv:1804.02767*.
- [8] Chen, C., Seff, A., Kornhauser, A., & Xiao, J. (2015). Deep Driving: Learning affordance for direct perception in autonomous driving. In *Proceedings of the IEEE International Conference on Computer Vision* (pp. 2722-2730).
- [9] Viola, P., & Jones, M. (2001). Rapid object detection using a boosted cascade of simple features. *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*.
- [10] Dalal, N., & Triggs, B. (2005). Histograms of Oriented Gradients for Human Detection. *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*.
- [11] LeCun, Y., Bottou, L., Bengio, Y., & Haffner, P. (1998). Gradient-based learning applied to document recognition. *Proceedings of the IEEE*, 86(11), 2278-2324.
- [12] Simonyan, K., & Zisserman, A. (2014). Very deep convolutional networks for large-scale image recognition. *arXiv preprint arXiv:1409.1556*.
- [13] Krizhevsky, A., Sutskever, I., & Hinton, G. E. (2012). Imagenet classification with deep convolutional neural networks. *Advances in neural information processing systems*, 25.
- [14] Girshick, R., Donahue, J., Darrell, T., & Malik, J. (2014). Rich feature hierarchies for accurate object detection and semantic segmentation. *Proceedings of the IEEE conference on computer vision and pattern recognition*.
- [15] Ren, S., He, K., Girshick, R., & Sun, J. (2015). Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks. *Advances in neural information processing systems*. [16] Redmon, J., & Farhadi, A. (2018). Yolov3: An incremental improvement. *arXiv preprint arXiv:1804.02767*.



Amitrakshar International Journal

of Interdisciplinary and Transdisciplinary Research (AIJITR)

(A Social Science, Science and Indian Knowledge Systems Perspective)

Open-Access, Peer-Reviewed, Refereed, Bi-Monthly, International E-Journal

- [17] Chen, L., Papandreou, G., Kokkinos, I., Murphy, K., & Yuille, A. L. (2018). DeepLab: Semantic Image Segmentation with Deep Convolutional Nets, Atrous Convolution, and Fully Connected CRFs. *IEEE Transactions on Pattern Analysis and Machine Intelligence*.
- [18] He, K., Zhang, X., Ren, S., & Sun, J. (2016). Deep residual learning for image recognition. *Proceedings of the IEEE conference on computer vision and pattern recognition*.
- [19] Mnih, V., Kavukcuoglu, K., Silver, D., Rusu, A. A., Veness, J., Bellemare, M. G., ... & Hassabis, D. (2015). Human-level control through deep reinforcement learning. *Nature*, 518(7540), 529-533.
- [20] Qi, C. R., Su, H., Mo, K., & Guibas, L. J. (2017). PointNet: Deep learning on point sets for 3D classification and segmentation. *Proceedings of the IEEE conference on computer vision and pattern recognition*.
- [21] Qi, C. R., Yi, L., Su, H., & Guibas, L. J. (2017). PointNet++: Deep hierarchical feature learning on point sets in a metric space. *Advances in neural information processing systems*.
- [22] Huang, Z., Wang, Y., Heng, Q. A., Yuan, J., & Liu, Z. (2020). Frustum PointNets for 3D Object Detection from RGB-D Data. *IEEE Transactions on Automation Science and Engineering*.
- [23] Ronneberger, O., Fischer, P., & Brox, T. (2015). U-net: Convolutional networks for biomedical image segmentation. *International Conference on Medical Image Computing and Computer-Assisted Intervention*.
- [24] Goodfellow, I. J., Shlens, J., & Szegedy, C. (2015). Explaining and harnessing adversarial examples. *arXiv preprint arXiv:1412.6572*.
- [25] Papernot, N., McDaniel, P., Wu, X., Jha, S., & Swami, A. (2016). Distillation as a defense to adversarial perturbations against deep neural networks. *IEEE Symposium on Security and Privacy (SP)*.
- [26] Madry, A., Makelov, A., Schmidt, L., Tsipras, D., & Vladu, A. (2018). Towards deep learning models resistant to adversarial attacks. *arXiv preprint arXiv:1706.06083*.
- [27] Gilpin, L. H., Bau, D., Yuan, B. Z., Bajwa, A., Specter, M., & Kagal, L. (2018). Explaining explanations: An overview of interpretability of machine learning. *2018 IEEE 5th International Conference on data science and advanced analytics (DSAA)*.
- [28] Chen, H., Chen, Q., Xu, R., & Zhu, F. (2019). Explainable AI: A survey of the state of the art. *Artificial Intelligence Review*.
- [29] Amin, R., & El-Farra, M. (2019). Neuromorphic computing: From biological inspiration to hardware design and applications. *Artificial Intelligence Review*.
- [30] Anderson, J. M., Nidhi, K., Stanley, K. D., Sorensen, P., Samaras, C., & Oluwatola, O. A. (2016). *Autonomous Vehicle Technology: A Guide for Policymakers*. RAND Corporation.
- [31] SAE International. (2018). *Taxonomy and Definitions for Terms Related to Driving Automation Systems for On-Road Motor Vehicles*. J3016_201806.
- [32] Shladover, S. E. (2018). Connected and Automated Vehicle Systems: Introduction and Overview. *Journal of Intelligent Transportation Systems*, 22(3), 190-200.
- [33] Badue, C., Guidolini, R., Carneiro, R. V., Azevedo, P., Cardoso, V. B., Forechi, A., ... & Menegatti, R. (2021). Self-driving cars: A survey. *Expert Systems with Applications*, 165, 113816.
- [34] Redmon, J., & Farhadi, A. (2018). Yolov3: An Incremental Improvement. *arXiv preprint arXiv:1804.02767*.
- [35] Badrinarayanan, V., Kendall, A., & Cipolla, R. (2017). SegNet: A Deep Convolutional Encoder-Decoder Architecture for Image Segmentation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 39(12), 2481-2495.
- [36] Chen, L. C., Zhu, Y., Papandreou, G., Schroff, F., & Adam, H. (2018). Encoder-Decoder with Atrous Separable Convolution for Semantic Image Segmentation. *Proceedings of the European Conference on Computer Vision (ECCV)*.
- [37] Feng, D., Haase-Schütz, C., Rosenbaum, L., Hertlein, H., Glaser, C., Timm, F., ... & Dietmayer, K. (2020). Deep Multi-Modal Object Detection and Semantic Segmentation for Autonomous Driving: Datasets, Methods, and Challenges. *IEEE Transactions on Intelligent Transportation Systems*, 22(3), 1341-1360.
- [38] He, K., Zhang, X., Ren, S., & Sun, J. (2016). Deep residual learning for image recognition. *Proceedings of the IEEE conference on computer vision and pattern recognition*.
- [39] Dean, J., Corrado, G., Monga, R., Chen, K., Devin, M., Le, Q. V., ... & Ng, A. Y. (2012). Large scale distributed deep networks. *Advances in neural information processing systems*.
- [40] Craglia, M., & Gall, J. (2018). *The ethical implications of the adoption of AI systems in society*. European Parliamentary Research Service.



Amitrakshar International Journal

of Interdisciplinary and Transdisciplinary Research (AIJITR)

(A Social Science, Science and Indian Knowledge Systems Perspective)

Open-Access, Peer-Reviewed, Refereed, Bi-Monthly, International E-Journal

- [41] Buolamwini, J., & Gebru, T. (2018). Gender shades: Intersectional accuracy disparities in commercial gender classification. Proceedings of the Conference on Fairness, Accountability, and Transparency.
- [42] Manyika, J., Chui, M., Miremadi, M., Bughin, J., George, K., Willmott, P., & Dewhurst, M. (2017). A future that works: Automation, employment, and productivity. McKinsey Global Institute.
- [43] Goodfellow, I. J., Shlens, J., & Szegedy, C. (2015). Explaining and harnessing adversarial examples. arXiv preprint arXiv:1412.6572.
- [44] Doshi-Velez, F., & Kim, B. (2017). Towards a rigorous science of interpretable machine learning. arXiv preprint arXiv:1702.08608.
- [45] Pan, S. J., & Yang, Q. (2010). A survey on transfer learning. IEEE Transactions on knowledge and data engineering, 22(10), 1345-1359.
- [46] Litman, T. (2020). Autonomous vehicle implementation predictions: Implications for transport planning. Victoria Transport Policy Institute.
- [47] Lutin, J. M., Kornhauser, A. L., & Lerner-Lam, E. (2013). The revolutionary development of self-driving vehicles and implications for the transportation engineering profession. ITE Journal (Institute of Transportation Engineers), 83(7), 28-32.

